

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	("7079648").PN.	US-PGPUB; USPAT	OR	OFF	2009/02/07 14:47
L3	2	("5689565" "6397330").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/07 14:48
L4	5	("6397330").URPN.	USPAT	OR	ON	2009/02/07 14:51
L5	2	("5689565" "6397330").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/07 14:54
L6	170	(380/2).OCLS.	US-PGPUB; USPAT	OR	OFF	2009/02/07 14:59
L7	1	6 and (weak near3 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/07 14:59
L8	9	("20050117742" "20050160262" "20050235342" "20050257069" "6411715" "6504929" "7051202" "7187769" "7340053").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/07 15:00
L9	5	("6504929").URPN.	USPAT	OR	ON	2009/02/07 15:03
L10	90	(380/1).OCLS.	US-PGPUB; USPAT	OR	OFF	2009/02/07 15:12
L11	4	10 and weak near3 key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/07 15:12
L12	19	(6 10) and (key near3 length)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/07 15:15
L13	869	((encryption cryptographic) with conform\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/07 15:23
L14	206	((encryption cryptographic) with conform\$4).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/07 15:23

L15	26	((encryption cryptographic) with conform\$4) same key near3 size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/07 15:23
L16	40	((encryption cryptographic) with conform\$4) same key near3 (length size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/07 15:23
L17	12	((encryption cryptographic) with conform\$4 with test)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/07 15:33
L18	18	("5412717" "5644739" "5651068" "5740248" "5818446" "5841869" "5872555" "5907620" "5914714" "6005566" "6057836" "6072486" "6133915" "6188401" "6526513" "6647494" "6671809" "7096496"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/07 15:35
L19	31	("5907620").URPN.	USPAT	OR	ON	2009/02/07 15:36
L20	0	("7051067").URPN.	USPAT	OR	ON	2009/02/07 15:40
L21	1	(verify\$3 check\$3) near3 (min minimum) near3 key near2 (size length strength)	US-PGPUB; USPAT	OR	ON	2009/02/07 16:09
L22	2	(verify\$3 check\$3) with (min minimum) near3 key near2 (size length strength)	US-PGPUB; USPAT	OR	ON	2009/02/07 16:10
L23	11	(verify\$3 check\$3) with (min minimum) with key with (size length strength)	US-PGPUB; USPAT	OR	ON	2009/02/07 16:10
L24	26	(verify\$3 check\$3 valid validat\$3) with (min minimum) with key with (size length strength)	US-PGPUB; USPAT	OR	ON	2009/02/07 16:11
L25	1447	(verify\$3 check\$3 valid validat\$3) with key with (size length strength)	US-PGPUB; USPAT	OR	ON	2009/02/07 16:14
L26	203	(verify\$3 check\$3 valid validat\$3) near3 key near4 (size length strength)	US-PGPUB; USPAT	OR	ON	2009/02/07 16:15
L27	7	(verify\$3 check\$3 valid validat\$3) near3 key near4 (strength)	US-PGPUB; USPAT	OR	ON	2009/02/07 16:15

L28	2793	key near4 (strength)	US-PGPUB; USPAT	OR	ON	2009/02/07 16:28
L29	729	key near4 (strength) same (encrypt\$3 cipher)	US-PGPUB; USPAT	OR	ON	2009/02/07 16:29
L30	289	key near4 (strength) same (encrypt\$3 cipher)	USPAT	OR	ON	2009/02/07 16:29
L31	10	("20020124176" "4157454" "5412729" "5425103" "5440640" "5717756" "5799086" "5799090" "5835597" "6038321").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/07 16:32
L32	30	(verify\$3 check\$3 valid validat\$3) near3 (conform \$4 correct\$4) same key near4 (size length strength)	US-PGPUB; USPAT	OR	ON	2009/02/07 16:50
L33	597	(726/25).OQLS.	US-PGPUB; USPAT	OR	OFF	2009/02/07 16:55
L34	31	33 and key with (size length strength)	US-PGPUB; USPAT	OR	ON	2009/02/07 16:55
L35	1428	(726/22).OQLS.	US-PGPUB; USPAT	OR	OFF	2009/02/07 17:03
L36	40	35 and key near4 (size length strength)	US-PGPUB; USPAT	OR	ON	2009/02/07 17:03
L37	42	35 and key near4 (size length strength weak)	US-PGPUB; USPAT	OR	ON	2009/02/07 17:03
L38	2	33 and key near3 (weak)	US-PGPUB; USPAT	OR	ON	2009/02/07 17:08
L39	2	("5689565" "6397330"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/07 17:11
L40	0	(confor\$4) near3 test with (encrypt\$3 adj key)	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/07 17:14
L41	5	(confor\$4) near3 test with (key)	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/07 17:14
L42	0	cryptographic adj modulation adj validation adj program	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/07 17:21
L43	130	cmvp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/07 17:21
L44	4	cmvp and cryptographic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/07 17:21

L45	2	cryptographic adj module adj test\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/07 17:22
L46	25	(valid validat\$3) near4 cryptographic adj module	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/07 17:24
L53	2	("6567913").UPPN.	USPAT	OR	ON	2009/02/07 18:26
L62	10	("4918728" "4941176" "5073934" "5200999" "5323464" "5432849" "5555309" "5651068" "5710814" "5841870"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/07 18:33
L63	1	("4850017").PN.	US-PGPUB; USPAT	OR	OFF	2009/02/07 18:37
L64	832	public adj key same "1024" adj bits	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/07 19:42
L65	1145195	des same "128" bits	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/07 19:43
L66	1130	des same "128" adj bits	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/07 19:43
L67	336	public adj key same "1024" adj bits	USPAT	OR	ON	2009/02/07 19:43
S1	88	726/25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 17:12
S2	1	(test\$3 with (strength weakness) with (cipher cryptographic)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:20
S3	10	(evaluat\$3 with (strength weakness) with (cipher cryptographic)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 17:27

S4	14	(evaluat\$3 with (strength weakness) with (key)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 18:21
S5	75	(380/1).CQLS.	US-PGPUB; USPAT	OR	OFF	2007/05/24 18:21
S6	140	(380/2).CQLS.	US-PGPUB; USPAT	OR	OFF	2007/05/24 18:21
S7	1	("7079648").PN.	US-PGPUB; USPAT	OR	OFF	2007/05/26 18:26
S8	1	("6397330").PN.	US-PGPUB; USPAT	OR	OFF	2007/05/26 18:27
S9	4	("6397330").URPN.	USPAT	OR	ON	2007/05/26 18:30
S10	5	("5412717" "5651068" "5740248" "5841869" "5907620").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/26 18:31
S11	4	("6397330").URPN.	USPAT	OR	ON	2007/05/26 18:35
S12	965	(717/124).CQLS.	US-PGPUB; USPAT	OR	OFF	2007/05/26 18:35
S13	18	S12 and (cryptograph\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 18:36
S14	54	S12 and (cryptograph\$2 encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 18:36
S15	2	("5689565" "6397330"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/26 18:46
S16	4	("6397330").URPN.	USPAT	OR	ON	2007/05/26 18:51
S17	116	(test\$3 verif\$7 validat\$3) near5 (cryptographic near2 (provider (module device facilit\$3 component unit card hardware)))	USPAT	OR	ON	2007/05/26 18:55
S18	2777	((717/124-127) or (717/130-135)).CQLS.	US-PGPUB; USPAT	OR	OFF	2007/05/26 18:54
S19	9	S18 and (cryptograph\$2 near2 (provider (module device facilit\$3 component unit card hardware)))	US-PGPUB; USPAT	OR	ON	2007/05/26 18:55
S20	0	("7079648").URPN.	USPAT	OR	ON	2007/05/26 18:58

S21	0	(cryptograph\$2 encryption) near3 correctness near2 detection	USPAT	OR	ON	2007/05/26 18:58
S22	12	(cryptograph\$2 encryption) near3 correctness	USPAT	OR	ON	2007/05/26 18:58
S23	19	(cryptograph\$2 encryption) near3 correctness	US-PGPUB; USPAT	OR	ON	2007/05/26 19:00
S24	321	(cryptograph\$2 encryption) and (acceptable valid proper adequate sufficient satisfactory passable tolerable) near4 (key adj (length size))	US-PGPUB; USPAT	OR	ON	2007/05/26 19:02
S25	24	(cryptograph\$2 encryption) and (acceptable valid proper adequate sufficient satisfactory passable tolerable) near4 (key adj (length size)) same (test\$3 analy\$3 check\$3 confirm\$5 prov\$3 compar\$3)	US-PGPUB; USPAT	OR	ON	2007/05/26 19:24
S26	24	(cryptograph\$2 encryption) and (acceptable valid proper adequate sufficient satisfactory passable tolerable) near4 (key adj (length size)) same (test\$3 analy\$3 check\$3 confirm\$5 prov\$3 compar\$3 identif \$3)	US-PGPUB; USPAT	OR	ON	2007/05/26 19:04
S27	25	(cryptograph\$2 encryption) and (acceptable valid proper adequate sufficient satisfactory passable tolerable) near4 (key adj (length size)) same (test\$3 analy\$3 check\$3 confirm\$5 prov\$3 compar\$3 identification)	US-PGPUB; USPAT	OR	ON	2007/05/26 19:05
S28	214	(cryptograph\$2 encryption) near3 (algorithm formula) near3 identifier	US-PGPUB; USPAT	OR	ON	2007/05/26 19:07
S29	622	(cryptograph\$2 encryption) near3 (algorithm formula) near3 (parameter identifier)	US-PGPUB; USPAT	OR	ON	2007/05/26 19:07

S30	332	((cryptograph\$2 encrypt\$3).ab. and ((cryptograph\$2 encryption) near3 (algorithm formula) near3 (parameter identifier))	US-PGPUB; USPAT	OR	ON	2007/05/26 19:22
S31	9	("5115466" "5412717" "5651068" "5740248" "5778071" "5841869" "5907620" "5933503" "6389534").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/26 19:19
S32	0	("7013390").URPN.	USPAT	OR	ON	2007/05/26 19:21
S33	4	("6397330").URPN.	USPAT	OR	ON	2007/05/26 19:21
S34	7	("6389534").URPN.	USPAT	OR	ON	2007/05/26 19:21
S35	5	("5412717" "5651068" "5740248" "5841869" "5907620").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/26 19:21
S36	1	((cryptograph\$2 encryption) near3 (algorithm formula) near3 (parameter identifier)) with threshold	US-PGPUB; USPAT	OR	ON	2007/05/26 19:23
S37	1	((cryptograph\$2 encryption) near3 (algorithm formula)) with (unacceptable) with acceptable	US-PGPUB; USPAT	OR	ON	2007/05/26 19:24
S38	1	(cryptograph\$2 encryption) same (algorithm formula) with (unacceptable) with acceptable	US-PGPUB; USPAT	OR	ON	2007/05/26 19:24
S39	1	(cryptograph\$2 encryption) and (acceptable valid proper adequate sufficient satisfactory passable tolerable) near4 (seed adj (length size)) same (test\$3 analy\$3 check\$3 confirm\$5 prov\$3 compar\$3)	US-PGPUB; USPAT	OR	ON	2007/05/26 19:24
S40	1	("20050235342").PN.	US-PGPUB; USPAT	OR	OFF	2007/05/26 22:24
S41	14	seed near3 (size length) same (algorithm cipher formula encryption cryptographic) same strength	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 22:33

S42	83	(test\$3 determin\$3 compar\$3) with seed near3 (size length) same (algorithm cipher formula encryption cryptographic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 22:34
S43	84	(test\$3 determin\$3 compar\$3 evaluat\$3) with seed near3 (size length) same (algorithm cipher formula encryption cryptographic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 22:34
S44	608	((380/1,2) or (726/25)). CCLS.	US-PGPUB; USPAT	OR	OFF	2007/10/27 21:39
S45	85	S44 and (@pd > "20070526")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 22:35
S46	3	(suggest\$3 with alternative with (encrypt\$3 cryptographic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 22:36
S47	44	(suggest\$3 with alternative) and (encrypt\$3 cryptographic).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:15
S48	4	("6397330").URPN.	USPAT	OR	ON	2007/10/27 22:41
S49	2	("5689565" "6397330"). FN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/27 22:43
S50	78	("5689565").URPN.	USPAT	OR	ON	2007/10/27 22:44
S51	25	(alternative) near2 (encrypt \$3 cryptographic).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:18
S52	0	(alternative) near2 (encrypt \$3 cryptographic) near2 (cipher operation service function) same (conformance conformity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:23
S53	3	(alternative) near2 (encrypt \$3 cryptographic) near2 (cipher operation service function) same (conformance conformity allow\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:24

S54	0	(alternative) near2 (encrypt \$3 cryptographic) near2 (cipher operation service function) same (conformance conformity approve\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:24
S55	1	suggest near2 (alternative) near2 (cipher operation service function) same (conformance conformity approve\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:34
S56	1	("6232539").PN.	US-PGPUB; USPAT	OR	OFF	2007/10/27 23:30
S57	48	suggest near2 (alternative) near2 (cipher operation service function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:42
S58	13	("5933144" "5974572" "6496866" "6530075" "6549944" "6634022" "6651241" "6681386" "6691301" "6701514" "6779172" "6826606" "6865691").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/27 23:39
S59	4	recommend\$3 near2 (alternative) near2 (cipher operation service function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:42
S60	0	recommend\$3 near2 (other) near2 (cipher operation service function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:42
S61	2	suggest near2 (other) near2 (cipher operation service function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:43
S62	194	offer\$3 near2 (alternative) near2 (cipher operation service function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:43
S63	35	offer\$3 near2 (alternative) near2 (cipher operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:45

S64	49	(recommend\$3 offer\$3 suggest\$3) near2 (second substitute) near2 (cipher operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:48
S65	99	(recommend\$3 offer\$3 suggest\$3) near2 (another other different) near2 (cipher operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:48
S66	506	(recommend\$3 offer\$3 suggest\$3) near2 (another other different alternative substitute) near2 (cipher operation service function) and (cryptographic encrypt \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:49
S67	129735	(recommend\$3 offer\$3 suggest\$3) near2 (another other different alternative substitute) near2 (cipher operation service function) asame (cryptographic encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:49
S68	31	(recommend\$3 offer\$3 suggest\$3) near2 (another other different alternative substitute) near2 (cipher operation service function) same (cryptographic encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 23:49
S69	10	("4918728" "4941176" "5073934" "5200999" "5323464" "5432849" "5555309" "5651068" "5710814" "5841870").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/28 00:33
S70	9	("6308266").URPN.	USPAT	OR	ON	2007/10/28 00:46
S71	1	("7,079,648").PN.	US-PGPUB; USPAT	OR	OFF	2007/10/28 00:46
S72	1	strength/weakness same cryptography same threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 17:44
S73	1	strength same weakness same cryptography same threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 17:45

S74	279	726/25	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 17:51
S75	28	{"20020052950" "20020078382" "20020147803" "20020171546" "20020178381" "20030084322" "20030135749" "20030149888" "20030154263" "20030172301" "20040006704" "20040015719" "20040181685" "20040250133" "5657460" "5870543" "6205552" "6266774" "6282709" "6304975" "6493871" "6535227" "6553378" "6567808" "6704874" "6948169" "6952779" "6976251"). PN.	US-PGRUB; USPAT; USOCR	OR	ON	2008/07/07 17:55
S76	1	("6308266").PN.	US-PGRUB; USPAT	OR	OFF	2008/07/07 18:18
S77	2	("5689565" "6397330"). PN.	US-PGRUB; USPAT; USOCR	OR	ON	2008/07/07 18:20
S78	1	("7079648").URPN.	USPAT	OR	ON	2008/07/07 18:21
S79	4	("6397330").URPN.	USPAT	OR	ON	2008/07/07 18:22
S80	0	("7013390").URPN.	USPAT	OR	ON	2008/07/07 18:23
S81	9	{"5115466" "5412717" "5651068" "5740248" "5778071" "5841869" "5907620" "5933503" "6389534").PN.	US-PGRUB; USPAT; USOCR	OR	ON	2008/07/07 18:23
S82	28	("5740248").URPN.	USPAT	OR	ON	2008/07/07 18:26
S83	0	("7013390").URPN.	USPAT	OR	ON	2008/07/07 18:30
S84	10	("6389534").URPN.	USPAT	OR	ON	2008/07/07 18:30
S85	10	("6389534").URPN.	USPAT	OR	ON	2008/07/07 18:31
S86	0	("7360241").URPN.	USPAT	OR	ON	2008/07/07 18:31

S87	18	("5412717" "5644739" "5651068" "5740248" "5818446" "5841869" "5872555" "5907620" "5914714" "6005566" "6057836" "6072486" "6133915" "6188401" "6526513" "6647494" "6671809" "7096496"). FN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/07 18:31
S88	13	("5099516" "5123045" "5224166" "5276735" "5301231" "5315655" "5325430" "5412717" "5530752" "5541991" "5544244" "5600726" "5615381").FN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/07 18:32
S89	237	(380/1,2).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/07/09 12:44
S90	16	S89 and (@pd > "20071027")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 12:45
S91	28	("5740248" "7360241"). URFN.	USPAT	OR	ON	2008/07/09 13:52
S92	282	726/25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 13:54
S93	237	(380/1,2).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/07/09 13:54
S94	20	(S92 S93) and ((seed key) adj (length size))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 13:54
S95	446	((strong strength) with ((seed key) adj (length size))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 14:06
S96	3302	((strong strength) with ((seed key) adj (length size) encryption cryptographic cipher))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 14:06
S97	373	((strong strength) with ((seed key) adj (length size) encryption cryptographic cipher)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 14:07

S98	373	((strong strength) with ((seed key) adj (length size) encryption cryptographic cipher)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 14:07
S99	1	("6308266").PN.	US-PGPUB; USPAT	OR	OFF	2008/07/09 14:43
S100	10	("4918728" "4941176" "5073934" "5200999" "5323464" "5432849" "5555309" "5651068" "5710814" "5841870"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/09 14:44
S101	12	("6308266").URPN.	USPAT	OR	ON	2008/07/09 14:44
S102	17	("20020112171" "5323464" "5369702" "5412717" "5493692" "5555376" "5649099" "5745572" "5883956" "5907620" "5933503" "6125446" "6178504" "6298445" "6308266" "6389534" "6535980"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/09 14:53
S103	0	("6792537").URPN.	USPAT	OR	ON	2008/07/09 14:57
S104	1	("5889953").PN.	US-PGPUB; USPAT	OR	OFF	2008/07/09 14:59
S105	1	("6567913").URPN.	USPAT	OR	ON	2008/07/09 15:24
S106	21	("4633036" "4900904" "5073934" "5204961" "5214702" "5416841" "5418854" "5422953" "5448641" "5504818" "5768388" "5796841" "5838812" "5862223" "5987123" "6044350" "6076163" "6158007" "6272639" "6308266" "6330677").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/09 15:24
S107	1	("7079648").URPN.	USPAT	OR	ON	2008/07/09 18:04
S108	2	("5689565" "6397330"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/09 18:06
S109	282	726/25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 18:09
S110	237	(380/1,2).COLS.	US-PGPUB; USPAT	OR	OFF	2008/07/09 18:09

S111	1	{(S109 S110) and (check\$3 determin\$3 verif\$4 verification threshold accept\$4) with ((seed key) adj (length size))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 18:09
S112	747	{(check\$3 determin\$3 verif\$4 verification threshold accept\$4) with ((seed key) adj (length size))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 18:10
S113	349	{(check\$3 determin\$3 verif\$4 verification threshold accept\$4) near4 ((seed key) adj (length size))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 18:10
S114	171	{(check\$3 determin\$3 verif\$4 verification threshold accept\$4) near4 ((seed key) adj (length size)) and (strength strong\$2 weak\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 18:12
S115	130	{(check\$3 determin\$3 verif\$4 verification threshold accept\$4) near4 ((seed key) adj (length size)) and (strength strong\$2 weak\$2) and (secur\$3 encrypt\$3 cryptography cipher)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 18:13
S116	10478	{(correct\$4) same (strength strong\$2 weak\$2) same (secur\$3 encrypt\$3 cryptography cipher)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 18:15
S117	44765	{(correct\$4) with (secur\$3 encrypt\$3 cryptography cipher)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 18:15
S118	760	{(correctness) with (secur\$3 encrypt\$3 cryptography cipher)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 18:16
S119	239	{(correctness) with (encrypt\$3 cryptography cipher)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/09 18:17
S120	2	{(("20050235342") or ("6411715")).PN.	US-PGPUB; USPAT	OR	OFF	2008/07/09 18:28
S121	3	{("6504929").URPN.	USPAT	OR	ON	2008/07/09 18:33

S122	12	("5307807" "5430833" "5465258" "5544255" "5647017" "5715164" "5806059" "5838795" "5893069" "5903730" "6088676" "6108419").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/09 18:35
S123	1	verif\$3 near4 cryptographic near5 strength	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/09 18:37
S124	49	verif\$3 near4 (correctness strength) with (cipher encrypt\$3 cryptographic)	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/09 18:38
S125	1	("6425082").PN.	US-PGPUB; USPAT	OR	OFF	2008/07/09 22:55
S126	1	("20040249768").PN.	US-PGPUB; USPAT	OR	OFF	2008/07/11 11:39
S127	2	((("6389536") or ("20020143955")).PN.	US-PGPUB; USPAT	OR	OFF	2008/07/11 11:48
S128	178	log\$4 with number near4 download\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/11 17:56
S129	186	rout\$3 near5 (verif\$4 verification authenticat\$3) with certificate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 00:58
S130	186	rout\$3 near5 (verif\$4 verification authenticat\$3) with certificate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 00:59
S131	82	(routing router) near5 (verif \$4 verification authenticat \$3) with certificate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 01:01
S132	10	(verify\$3 check\$4) with key near4 (size length strength) same (cipher encryption) same request	US-PGPUB; USPAT	OR	ON	2008/07/16 18:09
S133	3	((("5764772") or ("5949883") or ("6307936")).PN.	US-PGPUB; USPAT	OR	OFF	2008/07/16 18:14
S134	1	("7272500").PN.	US-PGPUB; USPAT	OR	OFF	2008/07/16 18:15
S135	288	key adj strength	US-PGPUB; USPAT	OR	ON	2008/07/16 18:17

S136	69	key adj strength and ("713"/\$\$\$\$.ccls. "380"/\$\$\$\$.ccls.)	US-PGPUB; USPAT	OR	ON	2008/07/16 18:18
S137	73	key adj strength and ("713"/\$\$\$\$.ccls. "380"/\$\$\$\$.ccls. "382"/\$\$\$\$.ccls.)	US-PGPUB; USPAT	OR	ON	2008/07/16 18:18
S138	128	(verify\$3 check\$4) with key near4 (size length strength) and ("713"/\$\$\$\$.ccls. "380"/\$\$\$\$.ccls. "382"/\$\$\$\$.ccls.)	US-PGPUB; USPAT	OR	ON	2008/07/16 18:22
S139	10	(verify\$34) near3 key near2 (size length strength) and ("713"/\$\$\$\$.ccls. "380"/\$\$\$\$.ccls. "382"/\$\$\$\$.ccls.)	US-PGPUB; USPAT	OR	ON	2008/07/16 18:27
S140	5	(verify\$34) near3 key near2 (size length strength) not S139	US-PGPUB; USPAT	OR	ON	2008/07/16 19:07
S141	3	weak same (suggest\$3 verify\$3 recommend\$3 requir\$3) near4 (alternative different stronger) near3 (cryptograph\$2 cipher encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 20:04
S142	205	(suggest\$3 verify\$3 recommend\$3 requir\$3) near4 (alternative different stronger) near3 (cryptograph\$2 cipher encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 20:06
S143	203	(requir\$3) near4 (alternative different stronger) near3 (cryptograph\$2 cipher encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 20:20
S144	2	(requir\$3) near4 (stronger) near3 (cryptograph\$2 cipher encryption) adj key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 20:21
S145	3	(requir\$3) near4 (stronger) near3 key with (cryptograph\$2 cipher encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 20:22
S146	0	(recommend\$3) near4 (stronger) near3 key with (cryptograph\$2 cipher encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 20:44

S147	0	{(recommend\$3) near4 {different another} near3 key with (cryptograph\$2 cipher encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 20:44
S148	11	{(recommend\$3) near4 {different another} same (cryptograph\$2 cipher encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 20:45
S149	266	{(requir\$3) near4 (stronger different another alternative) near5 (cryptograph\$2 cipher encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 20:47
S150	30	{(requir\$3) near4 (stronger) near5 (cryptograph\$2 cipher encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 20:48
S151	7	illegal near4 (command operation) with {(recommend\$3 requir\$3 suggest\$3 forc\$3) near4 {alternative different other another} near3 (command operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 22:16
S152	9	{(authorized unauthorized illegal) near4 (command operation) with {(recommend\$3 requir\$3 suggest\$3 forc\$3) near4 {alternative different other another} near3 (command operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 22:19
S153	2	{(authorized unauthorized illegal) near4 (command operation) with {(recommend\$3 requir\$3 suggest\$3 forc\$3) near4 {alternative different other another} near3 (command operation) not S151	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 22:19
S154	4	{(authorized unauthorized illegal) near4 (service request) with (recommend \$3 requir\$3 suggest\$3 forc \$3) near4 (alternative different other another) near3 (service request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 22:21

S155	13	{(authorized unauthorized illegal) near4 (service request operation command) with (recommend\$3 requir\$3 suggest\$3 forc\$3) near4 (alternative different other another) not S154 not S152	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 22:26
S156	852	{(authorized unauthorized illegal) near4 (service request operation command) with (alternative different other another) not S154 not S152 not S155	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 22:36
S157	444	{(authorized unauthorized illegal) near4 (service request operation command) near6 (alternative different other another) not S154 not S152 not S155	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 22:36
S158	395	{(authorized unauthorized illegal) near4 (service request operation command) near6 (alternative different other another) not S154 not S152 not S155	US-PGPUB; USPAT	OR	ON	2008/07/18 22:37
S159	168	{(authorized unauthorized illegal) near4 (service request operation command) near6 (alternative different other another) not S154 not S152 not S155	USPAT	OR	ON	2008/07/18 22:37
S160	2	davis.in. and (selective adj data adj encryption and style).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 23:52
S161	1	("6066542").PN.	US-PGPUB; USPAT	OR	OFF	2008/07/19 00:07
S162	1	(Selecting and Encryption and Levels and Based and Policy and Profiling).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/19 00:10
S163	2	((("6397330") or ("7246360")).PN.	US-PGPUB; USPAT	OR	OFF	2008/11/21 10:50

2/7/2009 8:36:11 PM

C:\Documents and Settings\jkim\My Documents\EAST\Workspaces\10759636.wsp